

**LISTING OF CLAIMS (No amendments have been made)**

1. **(Withdrawn)** A bacterial intraoral disease treatment method comprising:  
washing a tooth affected by bacterial intraoral disease using a washing treatment solution;  
administering the treatment composition of claim 7 to the washed tooth; and  
covering a tooth opening of the tooth to which the treatment composition has been  
administered.
2. **(Withdrawn)** A treatment method according to claim 1, wherein the base contains  
polyethylene glycol 400 of not less than 13 percent volume and not more than 19 percent volume;  
polyethylene glycol 600 by not less than 13 percent volume and not more than 19 percent volume;  
and propylene glycol not less than 36 percent volume and not more than 50 percent volume.
3. **(Withdrawn)** A treatment method according to claim 1, wherein the washing  
treatment solution contains EDTA at a pH of about 7 and a water-soluble thickener containing no  
metallic ions.
4. **(Withdrawn)** A treatment method according to claim 3, wherein the washing  
treatment solution contains EDTA of not less than 10 percent volume and not more than 12  
percent volume.
5. **(Withdrawn)** A treatment method according to claim 1, further comprising a  
hemostatic process of stopping bleeding from pulp and/or gingival prior to the covering process,  
wherein the hemostatic process is a process of stopping the bleeding from pulp and/or gingival  
using a hemostatic treatment solution containing sodium alginate and zinc oxide.
6. **(Withdrawn)** A treatment method according to claim 5, wherein the hemostatic  
treatment solution contains sodium alginate of not less than 6.0 percent volume and not more than  
6.5 percent volume, and zinc oxide of not less than 33 percent volume and not more than 35  
percent volume.
7. **(Previously presented)** A treatment composition for bacterial intraoral disease  
comprising an antibacterial agent having an antibacterial property against intraoral bacteria and a

base containing polyethylene glycol 400, polyethylene glycol 600, polyethylene glycol 4000, and propylene glycol.

8. **(Previously presented)** A treatment composition according to claim 7, wherein the base contains polyethylene glycol 400 of not less than 13 percent volume and not more than 19 percent volume of this base; polyethylene glycol 600 of not less than 13 percent volume and not more than 19 percent volume; and propylene glycol of not less than 36 percent volume and not more than 50 percent volume.

9-12. **(Canceled)**

13. **(Withdrawn)** A treatment kit for bacterial intraoral diseases comprising:  
the treatment composition for bacterial intraoral disease of claim 7;  
a washing treatment solution to be used for washing teeth comprising EDTA at a pH of about 7 and a water-soluble thickener containing no metallic ions; and  
a hemostatic treatment solution used for stopping bleeding from pulp and/or gingival comprising sodium alginate and zinc oxide.

14. **(Withdrawn)** A treatment method according to claim 2, further comprising a hemostatic process of stopping bleeding from pulp and/or gingival prior to the covering process, wherein the hemostatic process is a process of stopping the bleeding from pulp and/or gingival using a hemostatic treatment solution containing sodium alginate and zinc oxide.

15. **(Withdrawn)** A treatment method according to claim 3, further comprising a hemostatic process of stopping bleeding from pulp and/or gingival prior to the covering process, wherein the hemostatic process is a process of stopping the bleeding from pulp and/or gingival using a hemostatic treatment solution containing sodium alginate and zinc oxide.

16. **(Withdrawn)** A treatment method according to claim 4, further comprising a hemostatic process of stopping bleeding from pulp and/or gingival prior to the covering process, wherein the hemostatic process is a process of stopping the bleeding from pulp and/or gingival using a hemostatic treatment solution containing sodium alginate and zinc oxide.